

```
joe — joe@db-thegummibear: ~ — ssh jfrancom@ssh.cs.dixie.edu -L 6566:cordelia:6566 — 110x32
~ — atlas@desdemona: ~ — ssh ↵ ssh yavin ... joe@db-thegummibear: ~ — ssh jfrancom@ssh.cs.dixie.edu -L 6566:co... +
[joe@db-thegummibear:~$ echo "Installing the mysql server"
Installing the mysql server
joe@db-thegummibear:~$ sudo apt-get install mysql-server
```

Package configuration

Configuring mysql-server-5.7

While not mandatory, it is highly recommended that you set a password for the MySQL administrative "root" user.

If this field is left blank, the password will not be changed.

New password for the MySQL "root" user:

<0k>

Package configuration

Configuring mysql-server-5.7

Repeat password for the MySQL "root" user:

<Ok>

```
joe — joe@db-thegummibear: ~ — ssh jfrancom@ssh.cs.dixie.edu -L 6566:cordelia:6566 — 110x32
atlas@desdemona: ~ — ssh + ssh yavin ... joe@db-thegummibear: ~ — ssh jfrancom@... ~/Desktop — -bash
[joe@db-thegummibear:~$ ps aux | grep mysql
mysql  24817  0.8 26.8 1103200 134536 ?      Ssl  14:50   0:00 /usr/sbin/mysqld
joe    24906  0.0  0.1  12944   968 pts/0  S+   14:51   0:00 grep --color=auto mysql
joe@db-thegummibear:~$ echo "verified it is running"
```